

*A7* BLASTX, and TBLASTX, BLASTP and TBLASTN, publicly available on the Internet at [www.ncbi.nlm.nih.gov/BLAST/](http://www.ncbi.nlm.nih.gov/BLAST/). See also, Altschul, *et al.*, 1990 and Altschul, *et al.*, 1997.

On page 40, please replace the paragraph starting on line 9 with the following:

*A8* The *T. reesei* RNA is used as template for RT-PCR using methods known in the art (Loftus, J. *et al.*, Science, 249:915-918, 1990). During this procedure the mRNA is reverse transcribed to produce first strand cDNA. The cDNA subsequently serves as template for PCR amplification of *bgl5* cDNA sequences using specific oligonucleotide primers designed in accordance with SEQ ID No. 1 or SEQ ID No. 3.

*A9* In the claims: Please replace claims 2, 8, 18, and 25 with the following rewritten claims:

2. An isolated polynucleotide selected from the group consisting of:

(a) a nucleic acid sequence which encodes or is complementary to a sequence which encodes a BGL5 polypeptide having at least 85% sequence identity to the amino acid sequence presented in Figure 2 (SEQ ID NO:2);

(b) a nucleic acid sequence which encodes or is complementary to a sequence which encodes a BGL5 polypeptide having at least 90% sequence identity to the amino acid sequence presented in Figure 2 (SEQ ID NO:2);

(c) a nucleic acid sequence which encodes or is complementary to a sequence which encodes a BGL5 polypeptide having at least 95% sequence identity to the amino acid sequence presented in Figure 2 (SEQ ID NO:2);

(d) a nucleic acid sequence which encodes or is complementary to a sequence which encodes a BGL5 polypeptide having the amino acid sequence presented in Figure 2 (SEQ ID NO:2);

(e) a nucleic acid sequence which encodes or is complementary to a sequence which encodes a BGL5 polypeptide having at least 95% sequence identity to the amino acid sequence presented as SEQ ID NO:2;

(f) a nucleic acid sequence which encodes or is complementary to a sequence which encodes a BGL5 polypeptide having the amino acid sequence presented as SEQ ID NO:2;

(g) a nucleic acid sequence presented as SEQ ID NO:3, or the complement thereof; and

(h) a nucleic acid sequence that hybridizes, under high stringency conditions to the sequence presented as SEQ ID NO:3, or the complement or a fragment thereof, wherein said isolated polynucleotide encodes a polypeptide having the biological activity of a  $\beta$ -glucosidase

A<sup>10</sup>  
8. An expression construct including a polynucleotide sequence (i) having at least 85% sequence identity to the amino acid sequence presented in Figure 2 (SEQ ID NO:2), or (ii) being capable of hybridizing to a probe derived from the nucleotide sequence disclosed in Figure 1 (SEQ ID NO:1) under conditions of intermediate to high stringency, or (iii) being complementary to a nucleotide sequence having at least 85% sequence identity to the amino acid sequence presented in Figure 2 (SEQ ID NO:2).

18. A substantially purified BGL5 polypeptide with the biological activity of a  $\beta$ -glucosidase, comprising a sequence selected from the group consisting of:

- A<sup>11</sup>
- (a) an amino acid sequence having at least 85% sequence identity to the amino acid sequence presented in Figure 2 (SEQ ID NO:2);
  - (b) an amino acid sequence having at least 90% sequence identity to the amino acid sequence presented in Figure 2 (SEQ ID NO:2);
  - (c) an amino acid sequence having at least 95% sequence identity to the amino acid sequence presented in Figure 2 (SEQ ID NO:2);
  - (d) an amino acid sequence presented in Figure 2 (SEQ ID NO:2);
  - (e) an amino acid sequence having at least 95% sequence identity to the amino acid sequence presented as SEQ ID NO:2;
  - (f) an amino acid sequence presented as SEQ ID NO:2;
  - (g) a substantially purified biologically active fragment of the amino acid sequence presented as SEQ ID NO:2.

25. A detergent composition, said composition comprising a polypeptide selected from the group consisting of:

- A<sup>12</sup>
- (a) an amino acid sequence having at least 85% sequence identity to the amino acid sequence presented in Figure 2 (SEQ ID NO:2);
  - (b) an amino acid sequence having at least 90% sequence identity to the amino acid sequence presented in Figure 2 (SEQ ID NO:2);
  - (c) an amino acid sequence having at least 95% sequence identity to the amino acid sequence presented in Figure 2 (SEQ ID NO:2);
  - (d) an amino acid sequence presented in Figure 2 (SEQ ID NO:2);
  - (e) an amino acid sequence having at least 95% sequence identity to the amino acid sequence presented as SEQ ID NO:2;

*Fig 2* (f) an amino acid sequence presented as SEQ ID NO:2;

(g) a substantially purified biologically active fragment of the amino acid sequence presented as SEQ ID NO:2.

---